

Residential

Durango Office: P.O Box 2750, Durango, CO 81302 45 Stewart St, Durango, CO 81303 Phone: (970) 247-5786

Pagosa Springs Office:

P.O. Box 305, Pagosa Springs, CO 81147 603 S 8th St,Pagosa Springs, CO 81147 Phone: (970) 247-5786

Revised: 9/10/2021

Residential Work Order

Below is a checklist to assist you with your new construction project:

| In order to expedite the assignment of your job to a staking engineer, complete the following: |
|---|
| Property owner to complete and sign the "Application for Work Order" with accurate Service Address (assigned by the county) |
| Complete the "Load Data Sheet", which contains crucial information to ensure an appropriately designed electric service |
| (if you need assistance filling out this form, consult with your electrician) |
| Pay the required Design Fee (Credit card payments are not accepted for New Construction) \$300 non-refundable |
| Provide the most current and recorded copy of Warranty Deed. Name on Warranty Deed must match name on application for |
| work order. |
| Letter of credit for new members who do not have established credit listing with LPEA |
| Submit the above by mail or at the office in Durango or Pagosa Springs. |
| Upon receipt of the above, the first available staking engineer will contact you to arrange an appointment to meet at the site |
| to discuss your job. Please make sure property pins are in place or property boundaries are marked prior to this meeting. |
| After the on-site meeting, the staking engineer will draw your job, compute the construction cost, and contact you. |
| (NOTE: The cost you receive is good for 30 days.) |
| Job will be released to construction for scheduling after you complete the following. |
| Sign and notarize necessary easements and contracts |
| Pay construction costs (credit card payments are not accepted) |
| Contact LPEA at (970) 247-5786 and ask to speak with the Line Superintendent, in Durango (La Plata County) or Pagosa |
| Springs (Archuleta County), to coordinate scheduling for construction before you start trenching or clearing right-of-way. Be sure |
| to reference your LPEA Work Order Number when you call. |
| Clear right-of-way as required. |
| For Underground Line Extensions |
| Prior to digging trench, obtain: |
| Existing underground utility locations with the Utility Notification Center of Colorado at (800) 922-1987 or 811 Any required excavation permits Verify that trench location will be within dedicated right-of-way Dig your trench. All trenching must be per LPEA specifications. (A \$600 fee will be charged to the customer if |
| LPEA construction crews show up at the job site and the trench is not ready or if trench does not meet NESC depth specifications.) |
| Notify the LPEA Line Superintendent that you are ready for construction to proceed. |
| LPEA extends line and installs electrical facilities to metering point. You are responsible for everything past the metering point. |
| Contact Colorado State Electrical Inspector to inspect your service; www.dora.state.co.us/electric |
| Contact LPEA to have your meter installed after: |
| Trench has been backfilled (if underground electrical facilities are installed) |
| Your service has been inspected and green-tagged by the Colorado State Electrical Inspector Call La Plata Electric at 970-247-5786 with permit # from Colorado Electrical Inspector. |
| LPEA energizes line and meter |

LA PLATA ELECTRIC ASSOCIATION, INC.

Application for Work Order Residential

Revised 08/03/2021

| Pro | perty Owner: | | Spouse: | | | |
|--------------|---|--|--|---|--|--|
| | N: | | Spouse SSN: | | | |
| | vice Address: | | City: | Zip: | | |
| Subdivision: | | | Block: | Lot #: | | |
| | | | City/State: | Zip: | | |
| | ng Address: me Phone: | | | 2.ip | | |
| | | | Email Address: | | | |
| Work Phone: | | | Project Contact: | | | |
| | | Relocation | | | | |
| | undersigned (hereinafter called the "Applicant") hereby applies for ociation") upon the following terms and condition: The Applicant will comply with and be bound by the pregulations, and policies as may periodically be adopted | rovisions of the | Articles of Incorporation and Byla | | | |
| 2. | The Applicant agrees, when electric service is available schedule. Applicant understands and agrees that the of the Applicant's service wires with the exception of | e Association's r | esponsibility does not extend be | eyond the point of the Applicant's ownership | | |
| 3. | The Applicant hereby agrees to support and assist the the necessary electric facilities together with full right of Association must purchase or condemn right-of-way, it responsible for the Association's actual expenses for: or environmental studies and permitting; the expense shall pay to the Association such estimate of costs prior is refundable to the Applicant. Any necessary subsequences of the Applicant, his/her/its heirs, successors or | of ingress and eging will do so at the the acquisition, per associated with the the Association of the Assoc | ress, as may be necessary to ext sole expense of the Applicant. To urchase or condemnation of right the construction of roads and on's commencement of construct | end and maintain this service. If the The Applicant agrees it shall be solely t-of-way; surveying; special archaeological reclamation of land damage. The Applicant ion. No portion of such payment of expenses | | |
| 4. | The Applicant hereby also grants the Association the relectric facilities. All boring and trenching provided by dedicated easements and the Applicant hereby warrar Any boring and trenching found now, or in the future, costs for the relocation will be the responsibility of the A | the Applicant for nts that the location outside of the dec | the installation of the undergrour on of all required boring and trend | nd system must be located within the ching provided by the Applicant so conforms. | | |
| 5. | Upon mutual acceptance, this application for electric service shall constitute a valid binding agreement between Applicant and the Association and shall continue in force until canceled by the Applicant with at least a twenty-four hour prior written notice, which must be received by the Association during regular office hours. This agreement may be terminated by the Association for any reason authorized by the Association's Bylaws or for a material breach of this agreement, including failure of the Applicant to comply with the rules, regulations and bylaws of the Association. The Applicant will remain liable for all charges incurred for electric service herein until the Association is advised of a change in the service. | | | | | |
| 6. | The Applicant agrees to pay a deposit with the Associ Association. The Applicant hereby grants and Associ Association, upon any non-payment, termination of se apply said deposit to bills due the Association and refu | ation takes a seervice, insolvency | curity interest in said deposit as r, or petition for bankruptcy by und | collateral for service to be applied by the dersigned Applicant. The Association shall | | |
| 7. | If this agreement is for the installation of new service is but prior to construction and connection of new electric performance of such activities. It should be further not available without actual connection for only one (1) year connection within that year, or this agreement will term this agreement. | c service, the App ted that, new elec ar, thus Applicant | plicant shall be held liable for all o ctric service and temporary constr should plan to have permanent w | costs incurred by the Association in the ruction service under this agreement are wiring completed and must request actual | | |
| 8. | The Association will schedule construction projects with cost overrun attributable to delays or changes caused be will not be ready on the agreed date, you must notify the Association's construction crews show up and, for reas construction, a \$600 fee will be charged to the Applicant | by the Applicant of the Association's cons attributable t | or their representative will be the r construction supervisory personne | responsibility of the Applicant. If your trenchel on or before 7a.m. of the agreed date. If the | | |
| 9. | Unless Applicant also signs the Disclaimer of Member As a member of the Association, Applicant assumes rexpressly understood that Applicant's private property Association, the Applicant agrees to comply with and the same may periodically be lawfully amended. Eacl or any one of them, but not all, shall be entitled to one | no personal liabil cannot be attach be bound by the h member of the | ity or responsibility for any debts ned for any such debts or liabilitie provisions of the Articles of Incor Association, or in the case of a j | s or liabilities of the Association, and it is as of the Association. As a member of the poration and Bylaws of the Association, as oint membership, the holders thereof jointly, | | |
| | Property Owner | | | | | |
| Da | ate: | | | | | |
| | ROU Yes, I wish to help our communities by rounding u | | RIZATION (OPTIONAL) | | | |
| | | | | | | |
| The | undersigned hereby chooses not to become a member | | MBERSHIP (OPTIONAL) | | | |
| As a | customer of the Association, the Applicant agrees to core may periodically be lawfully amended. | | , | rticles of Incorporation and Bylaws, as the | | |
| | Primary Applicant | | | Applicant | | |
| Date | 9: | | | Applicant | | |

Durango Office:

La Plata Electric Association, Inc.
A Touchstone Energy® Cooperative

P.O. Box 2750, Durango, CO 81302 45 Stewart St, Durango, CO 81303

Phone: (970) 247-5786 **Pagosa Springs Office:**

P.O. Box 305, Pagosa Springs, CO 81147 603 S 8th St,Pagosa Springs, CO 81147

Phone: (970) 247-5786

Single Family Residential Load Data Sheet

| Service Location: | | City: | |
|--|--|---------------------------|-----------------------------|
| Property Owner: | | Phone: | |
| Electrician/Contractor: | | | |
| Project Contact: | | Phone: | |
| Processing of this form will no Significant revision to informa Any costs incurred by changes charged to the member. | tion on this form may nece to design caused by a char | ± | struction is started may be |
| Renewables such as PV, Micro | | | ation kW |
| real wastes such as 1 1, 1, 1, 11 or 1 | • | _ | |
| | ELECTRIC LOAD | D INFORMATION (require | <u>ed fields)</u> |
| Main Disconnect Size | | Volts | Phase |
| Residence Square Footage | | | |
| | | | Connected Load |
| Lighting @ .003 kW/Sq.Ft. | | | kW |
| Electric Appliances: (Please c Range Oven Dryer | | | kW |
| Heating and Air Condition | ing: | | |
| Electric Heat (Non-ETS) | S | | kW |
| Fixed Electric Spacer Heater(s) |) | | kW |
| Geothermal Motor(s) | - 1 177 | | kW |
| Air Conditioning (1 Ton = \sim 3.5 EV Charger | OKW) | | kW kW |
| Other Load (i.e. Hot Tub/Spa, | Well Pump, Sump Pum | p, Motors, Tank Heaters): | kW |
| Time- of- Use (TOU) Progra | | | kW |
| Electric Thermal Storage (ETS |) Heater(s) kW + Total | Water Heater kW | |
| | | Total Connected Loa | ndkW |
| Print Name | | | |
| Signature | | Date | |

All fields of this form must be completed. If areas are left blank the form will be returned for the additional information. If you need assistance filling out this form, consult with your electrician.



Durango Office:

P.O. Box 2750, Durango, CO 81302 45 Stewart St, Durango, CO 81303 Phone: (970) 247-5786

Pagosa Springs Office:

P.O. Box 305, Pagosa Springs, CO 81147 603 S 8th St, Pagosa Springs, CO 81147

Phone: (970) 247-5786

* * DEPOSITS * * New Construction Residential Electric Service

Any new customer of La Plata Electric Association that has not had previous service with us within the past 12 (twelve) months for a term of one year is required to pay a deposit of up to \$250.00. Options to waive this deposit are listed below.

Alternatives to waive the deposit are as follows:

- 1. You may provide us with a letter of credit from a current or previous utility company showing the past 12 months' payment history.
- 2. You may request a credit report through our office. A nationwide credit agency provides this service, and only you can authorize the running of a credit report. It can be authorized over the phone or you may come into our office and apply in person. There is no charge for this service.
- 3. You may provide us with a referral letter from an assistance agency.


Your deposit will be held until 12 consecutive monthly bills have been paid in a timely manner. If acceptable credit has been established after one year from the permanent connect date of your service, the deposit (including interest) is either refunded as a credit on your account or returned as a check. The interest rate is subject to change the first of every year.

If a deposit is required, it will be billed on your first bill after the meter has been set.


If you have any questions, please feel free to call or write and we will be happy to help. We look forward to serving you in the future.

CLEAN SOIL ROCKY SOIL Final Grade Warning Warning Tape Tape 36" Min. 42" Max. 36" Min. Other 42" Max. Utility Other Utility Min. Min. 12" Min. LPEA Other **LPEA** 6" Min. Ŭtility Other_ **Utility** Shading** Shading** -| -12"Min.− 6" Bedding* -16"Min.-If utilities are 14"Min.side-by-side If other utilities are above LPEA 8"Min. | If other utilities are above LPEA -22"Min.-If utilities are side-by-side

SOLID ROCK



IRRIGATION DITCH




NOTES:

- 3" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL SINGLE PHASE ROAD CUTS.
- 6" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL THREE PHASE ROAD CUTS.
- 6" HDPE PIPE WILL BE UTILIZED FOR ALL BORES


WARNING TAPE SUPPLIED BY LPEA; INSTALLED BY CUSTOMER.

- * BEDDING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED AND INSTALLED BY CUSTOMER.
- ** SHADING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED BY CUSTOMER; INSTALLED BY LPEA CREW. SHADING MUST BE SUPPLIED IN 20' INCREMENTS ALONG THE DITCH.


| NO. | DATE | REVISIONS | APP'D | IDEV | DRAWN JDD | UG TRE | NCH AND |
|-----|------|-----------|-------|-------------------------------------|------------------------|------------|----------------|
| | | | | LPEA | CHECKED | BEDDING SF | PECIFICATIONS |
| L | | | | La Plata Electric Association, Inc. | APPROVED | | |
| - | | | | A Touchstone Energy Cooperative | DATE 06/26/08 | PRIN | 1ARY |
| | | | | PO Box 2750 | 00, 20, 00 | | |
| | | | | Durango CO 81302-2750 | | SCALE | DRAWING NUMBER |
| | | | | COLORADO 32 LaPLATA | FILE NAME SPEC1.dwg | NONE | SPEC 1 |



SOLID ROCK



IRRIGATION DITCH



NOTES:

- 3" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL SINGLE PHASE ROAD CUTS.
- 3" HDPE PIPE WILL BE UTILIZED FOR ALL SINGLE PHASE BORES
- 6" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL THREE PHASE ROAD CUTS.
- 6" HDPE PIPE WILL BE UTILIZED FOR ALL THREE PHASE BORES

FLOW FILL NOT ACCEPTED.

WARNING TAPE SUPPLIED BY LPEA; INSTALLED BY CUSTOMER.

SERVICES 400 AMP OR GREATER REQUIRE CONSULTATION WITH A STAKING ENGINEER REGARDING SECONDARY REQUIREMENTS.

SERVICES GREATER THAN 800 AMP WILL REQUIRE PARALLEL RUNS OF CONDUIT OF ADEQUATE SIZE FOR THE REQUIRED CONDUCTOR. CUSTOMER MUST CONSULT WITH STAKING ENGINEER.


- * BEDDING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED AND INSTALLED BY CUSTOMER.
- ** SHADING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED BY CUSTOMER; INSTALLED BY LPEA CREW.
- ** SHADING MUST BE SUPPLIED IN 20' INCREMENTS ALONG THE DITCH.

| NO. | DATE | REVISIONS | APP'D | IDEA | DRAWN JDD | LIG TRE | NCH AND |
|-----|---------|---|-------|-------------------------------------|------------------------|-----------------------|----------------|
| 1 | 4/27/21 | Removed suggested secondary wire type table | MAF | LPCA | CHECKED | BEDDING SPECIFICATION | |
| 2 | | Corrected HDPE sizes on bores | MAF | La Plata Electric Association, Inc. | APPROVED | DEDDING SEL | CITIONTIONS |
| 3 | 4/27/21 | Added required engineer consultation for services of 400 amps or greater. | MAF | A Touchstone Energy Cooperative | DATE | SECON | JDARY |
| | | | | PO Box 2750 | 06/26/08 | 02001 | ID/ (I \ I |
| | | | | Durango CO 81302-2750 | | SCALE | DRAWING NUMBER |
| | | | | COLORADO 32 LaPLATA | FILE NAME SPEC2.dwg | NONE | SPEC 2 |

8" - 17" TRENCH DEPTH


0"-9" *RED *RED CONCRETE LPEA


18" - 23" TRENCH DEPTH



30"-35" TRENCH DEPTH

24"-29" TRENCH DEPTH





| DRAWN MF |
|------------------|
| CHECKED |
| APPROVED |
| DATE 06/30/08 |

PRIMARY / SECONDARY

UG TRENCH SHALLOW DEPTH

SCALE DRAWING NUMBER
NONE SPEC 3

Highlights

from the "Line Extension Policy" and Other New Service Info

All electric line extensions must be installed according to LPEA's current "Line Extension Policy" and "Electric Service Regulations". These documents are available online at https://lpea.coop/policies or copies will be provided upon request.

LPEA/CUSTOMER INSTALLED EQUIPMENT

LPEA shall install all equipment necessary to complete your service requirements. This may include:

- Primary cable
- Transformers
- Secondary/service wire to point of metering
- Meter pedestal adjacent to the transformer
- Meter

Electric service will be provided to an Association-owned meter. Installation, ownership, and maintenance of the service wire from the meter to the load location are the responsibility of the Applicant. Law prohibits LPEA from performing work on the customer's side of the disconnect switch, as well as the tampering of LPEA-owned facilities by others.

The customer's installation must be inspected and green-tagged by the Colorado State Electrical Inspector in a manner visible to the LPEA representative before a meter will be installed.

TRENCHING AND BEDDING

All boring, trenching, bedding, and backfilling are to be provided by the customer without cost to LPEA and with provisions made for other utilities in accordance with their requirements. Please see the "Underground Trench and Bedding Specifications" included in this packet for more detail.

- In trenches of normal depth, electrical conduit will be placed at a minimum depth of thirty-six (36) inches and a maximum depth of forty-two (42) inches.
- In trenches of shallow depth, electrical conduit must be covered with reddyed concrete (Flow-fill is not acceptable). Installation must be inspected by an LPEA representative.

Highlights

from the "Line Extension Policy" and Other New Service Info

- Warning tape is required at six (6) inches below final grade in all trenches.
- Conduits installed in roadways are to be backfilled and compacted in a manner consistent with road compaction requirements of the local governing body (state, county, city, town, etc.).
- No LPEA lines will be energized until warning tape is installed and the trench has been completely backfilled.

LOCATION OF EXISTING UNDERGROUND FACILITIES

State law requires location of all underground utilities present on your property prior to any digging. Locates are arranged by calling the Utility Notification Center of Colorado (UNCC) at (800) 922-1987 or 811.

RIGHTS-OF-WAY/EASEMENTS

LPEA requires easement for all new electric lines. Typical easement width is 20 feet. If it is necessary to cross another's property to serve the customer, an LPEA easement is required from the other property owner.

Any special considerations of easements and/or permits must have LPEA approval.

Easements must be written, approved, signed and notarized before the job is released to construction. Any costs associated with the acquisition of right-of-way are the responsibility of the customer.

TREE TRIMMING

To increase safety, reduce outages, and prevent expensive damage, LPEA will periodically trim or remove vegetation from the electric line right-of-way.